

INTEGRATION OF SIMULATION INTO IT SYSTEMS OF PORT OF GDANSK

Krzysztof Amborski and Andrzej Dzieliński
Institute of Control and Industrial Electronics
Warsaw University of Technology,
00-662 Warszawa, Poland
E-mail: ambor@isep.pw.edu.pl
adziel@isep.pw.edu.pl

Jerzy Sukiennik
Port of Gdansk Authority,
Gdansk, Poland

E-mail: Jerzy.Sukiennik@portgdansk.pl

KEYWORDS

Simulation, ITC maritime systems, container terminal.

ABSTRACT

Management of all activities in seaport is always supported by ICT (Information and Communication Technology). The ICT applications can be different depending on financial and technical possibilities in given location. Port Management and Information System is one of the many ICT applications supporting maritime economy (maritime administration and harbor master offices, shipping industry, ports and their business partners). In the paper the influence of ICT used on various sea port facilities and simulation of port processes with special emphasis on container terminal is analyzed.

The paper deals with the integration of simulation-based method of analysis and improvement of logistics processes in the container terminal at the Port of Gdansk (Poland). The real-life data of the terminal have been fed into the simulator and the obtained model has been validated through comparison of its results with the operational data of the terminal. The model built has been used for further simulations to check the scenarios for future development of the terminal.

INTRODUCTION

Port of Gdansk is a medium size Baltic seaport with a total cargo handling of over 17 millions tons. Information and communication technology (ICT) applications form important part in Port of Gdansk management and operation infrastructure.

Port Management and Information Systems are some of the many ICT applications supporting maritime economy (maritime administration and harbor master offices, shipping industry, ports and their business partners) in the case of Port of Gdansk. List of ICT applications in broad scope is very long and includes - for example:

- Marine Information & Navigation Systems (including VTS and AIS - automatic identification system);
- Port Community System;
- Port Management Information System (including EDI);
- Port Monitoring & Reporting System (including safety

and security);

- Port Data Communication Network & Broadcasting System;

- Port Terminal Stevedoring Systems;

- Port Customer Systems (Shipping Agents, Forwarding Companies, Customs Agencies etc.)

- Radio Voice Communication and Wireless Data Transmission/Access;

- Simulation systems.

Application of new hand-held devices in port logistics - being in the scope of many on-going activities - is connected directly with information systems used on the port authority level and port stevedoring and port service companies, for example mooring/tugs/towage, pilots etc.

It determines that computerized information systems used on those levels should be analyzed for any integration activity projected in the port area.

There are three main applications in Port of Gdansk interesting from the integration of simulation system point of view:

- DYSPOORT - Vessel/Cargo Information & Clearing System;
- "GTK" - Gdansk Container Terminal System;
- "PGE" - Gdansk General Cargo Terminal System (including Port Free Zone Information System).

Other "internal" PGA (Port of Gdansk Authority) and "external" systems are not included in this paper.

GDANSK CONTAINER TERMINAL INFORMATION SYSTEM – GTK IS

Gdansk Container Terminal (Dzieliński A. et al. 2002, Dzieliński A. et al. 2003) is one of the main terminals in the port. Its present throughput is about 40000 TEU, but it is still under development as the container traffic is increasing. Moreover, there are plans to build a completely new container terminal with a much higher handling capacity. For the purposes of development of an existing terminal a simulation-based approach seems to be an attractive way of predicting, planning and design (Amborski K. and Dzieliński A. 2002). Therefore, it is interesting to show the interaction of the existing GTK IS with the simulation software used in

the terminal. In this section the main features of the GTK IS are presented.

The existing GTK IS has the following main functions: database supporting terminal management and terminal partners; container handling software system for container pickups, deliveries and customs clearing. It delivers information for terminal management, planning, control and connectivity with the port community. The system provides terminal operator with the simple tools they need to efficiently and cost-effectively manage all areas of a terminal operation, including container inventory, import and export transactions, gate operations, statistical reporting, and Web-based customer service (in the near future).

Main users - partners:

Forwarders:

- notification of containers
- container service status control

Terminal dispatcher's office:

- all documents concerning container operations entry and processing;
- status of containers control: notified containers, IN and OUT operations, storage control etc.
- uses container details like size, weight, vessel, and discharge port to automatically select the most logical storage location for each container. This helps to organize the terminal yard in a way that reduces the need for re-handling;
- almost real time data entry to drive the processes accurately. Decision on where to put a box should be made as it comes in through the gate when all the information is available to make the right decision;
- dispatcher can match containers with owners and consignees, specify container slots, issue sequential work assignments to yard equipment operators and give truckers selected points for pickup and drop-off;
- optimizes time and yard (depot) space;

Port Chief Dispatcher's Office and Terminal Management Requirements:

- automatic data transfer (once a day reporting): loaded and unloaded containers;
- cargo in containers
- statistics & analysis.

Customs Office Requirements - data exchange.

EDIFACT Messages for/from shipping lines: generating & processing

Future development:

- transmission of standard electronic messages from various port users - replacing paper documentation currently received and reviewed upon delivery or release of containers at the port gates.
- forwarders, customs agents and trucking companies will send advance notice of transactions, including details of the driver and truck that will handle the transaction, so that

the system will have the necessary information available to process before the truck arrives at the port terminal;

- new handling and ICT technology makes the port or terminal's container volume going up, and up. In one year (last year of being involved in this business) container load went up from few thousand TEU to more than 40,000 TEU;
- new functions of the system for further development.

GDANSK GENERAL CARGO TERMINAL OPERATIONS – PGE IS

Other important terminal at Port of Gdansk is the one which handles general cargo - PGE. Main PGE Terminal features are as follows:

- handles every type of non - containerized cargo including general cargo, ro-ro (+ personal vehicles), bulk commodities, steel, grain, dry bulk materials, heavy lift and special vehicles;
- can handle any type of forest products, palletized cargoes, bagged cargoes, and more (has been developed to handle break-bulk and general cargo);
- PGE is a very large (in terms of area covered) terminal with storage and warehousing space for light manufacturing, an active foreign trade free zone etc.

Main functions of the PGE Information System: data base supporting terminal management and terminal partners. The system provides terminal operator with the simple tools they need to efficiently and cost-effectively manage all areas of a terminal operation, including cargo inventory, import and export transactions, gate/rail operations, statistical reporting, and Web-based customer service (in the near future). "PGE-IS" operating system is to coordinate the loading and discharge of cargo with the right workforce, equipment, trucker/rail wagons, warehousing, empty storage/sheds and documentation.

Cargo Information Services will provide EDI and web services on cargo bookings, freight releases, delivery data and import/export information

Main users - partners:

Shipping agents:

- notification of vessels and cargo (Import)

Forwarders:

- notification of vessels and cargo (Export)
- cargo loading/unloading status control

Terminal dispatcher's office:

- all documents concerning cargo operations & entry to the port and processing;
- status of cargo control: notified cargo, storage In and Out operations, inventory control etc.
- Dangerous Cargo storage and inventory;
- uses cargo details like size, weight, vessel, and discharge port to select the most logical storage

or vessel location for each cargo. This helps to organize the terminal yard in a way that reduces the need for re-handling;

- almost real time data entry to drive the processes accurately. Decision on where to put cargo or moor the vessel should be made as it comes in through the gate or through the approach channel when all the information is available to make the right decision;
- dispatcher can match cargo with owners and consignees, specify trailers (ro-ro), issue sequential work assignments to yard equipment operators and give truckers or railways dispatcher selected points for pickup and drop-off;
- optimizes time and storage space;

Port Chief Dispatcher's Office and Terminal Management Requirements:

- automatic data transfer (once a day reporting): loaded and unloaded cargo;
- dangerous cargo;
- statistics & analysis.

Customs Office Requirements - data exchange.

XML/EDIFACT Messages for/from shipping agents and forwarders: in future - generating & processing.

Future development:

- transmission of standard electronic messages from various port users - replacing paper documentation currently received and reviewed upon delivery or release of containers at the port gates.
- forwarders, Customs agents and railways/trucking companies will send advance notice of transactions, including details of the driver and truck that will handle the transaction, so that the system will have the necessary information available to process before the truck/ train arrives at the port terminal;
- new functions of the system for further development:

It is worth mentioning that the simulation software thus far used mainly in GTK can be without too much effort also integrated into the PGE IS environment.

GDANSK CONTAINER TERMINAL SIMULATION SYSTEM

In this section we describe the use of port Process Simulator, to simulate the operation of Gdansk Container Terminal. As mentioned above also operation of other types of terminals can be easily simulated using the same tools and environments. Main activities so far were aimed at simulation-based analysis of the current container terminal operations, identification and evaluation of possible improvement variables and

criteria, and simulation-based improvement of logistics processes (Amborski K. and Dzieliński A. 2002).

The work on simulation of real port operations started with Ulster's Port Process Simulator described in (Dzieliński A. et al. 2002, Dzieliński A. et al. 2003). As it is generic in nature, the simulator needed quite a lot of work in order to customize it for the use at a particular harbor environment, i.e. Port of Gdansk.

Upon completion of customization, the simulation program represented the port operations in general and Gdansk Container Terminal in particular. This way we could come to the main issue of our work, i.e. the simulation of Gdansk Container Terminal operation and simulation-based improvement. However, at first it has been necessary to evaluate the simulator itself in terms of its accuracy in representing the terminal real operations.

One of the issues in question here was whether the simulator can represent real state of Container Terminal operations. To answer this question we assumed a hypothesis that the Port Simulator can accurately describe the operation of the terminal, provided the simulator with real data obtained from container terminal, and made two statistical verification tests: Pearson's and Kolmogorov's test.

Gdansk container terminal – a case study of simulation-based approach

Container Terminal at Port of Gdansk is a large and complex, living organization. Inside this structure we can see logistic processes at many levels of terminal operation. For us, important processes are located at the highest level – main logistic processes.

Main logistic processes of Gdansk Container Terminal are described at the simple scheme presented on the Fig.1.

In the simulations we have considered five main processes (total number of simulated processes is hard to evaluate, because some of them are composed of several sub-processes making a complete model of simulator):

- import / export cargoes from sea to land side,
- moving cargoes between ships and yard,
- moving cargoes between yard and land vehicles,
- process of ships service,
- process of land vehicle service.

These processes are operating with large number of variables, mostly invisible for simulator user (because these variables base on simulator internal events, not important for the user).




Figure 1. Container terminal logistics processes.

Simulation results were analyzed from the point of view of possible recommendations to GTK management. These recommendations were meant to improve the operations of the terminal with most cost-effective measures.

Process of analysis is achieved using MS Excel application. Output data from simulation (after post processing) are imported to a spreadsheet. In the next step the sheets to visualize change of the variable under consideration are prepared. At the beginning graphical sheets are best suited for general analysis. Trends and dependencies between variables can be easily seen and interpreted. More in-depth analysis can be achieved using numerical capabilities of MS Excel formulae for better accuracy.

In summary, the simulations performed give some guidelines as to how to proceed with port operation improvement. Several factors, like number of berths, number of port basins, number of gantry cranes etc. were taken into account and one may notice the influence of new investments in the port infrastructure, aqua structure and equipment on the operation capabilities. The results obtained are preliminary, but even they show clearly that some investments in the existing terminal equipment and set-up can improve the situation significantly in terms of loading/unloading time, ship queue or number of shipments (Amborski K. 2004).

The partners from Gdansk Container Terminal developed business strategy for GCT. In near future they will plan several investments. We expect that simulator will be also a useful tool to analyze these future investments. GCT Authority is especially interested in following results from simulations:

- Amount of import cargo
- Amount of export cargo
- Vehicle turnaround time
- Number of shipments in
- Total amount of cargo

- Mean number of units of resources allocated
- Number of customers who had to wait

These factors are useful especially from practical point of view. Cargo flow and ships movement is very important for every manager who works at container terminal.

There are two possible investment areas in the near future:

Area one – Quay.

Current length of quay is suitable to serve any type of vessel (in Port of Gdansk). But at one time terminal can serve only one ship. To save customers time and expand overall terminal operability Port's Authority plans to enlarge the length of quay. The simulation confirms that longer quay will be able to serve two ships at one time.

Area two – Handling equipment

Currently in the terminal there are three 'ship to shore' type cranes. This number is enough for current quay and cargo movement. However, as simulations show the increased length of quay force the terminal operator to increase the number of cranes. Two cranes at two berths will be optimal.

Area three – Yard

Higher level of cargo movement determines higher level of yard usage. Since, according to simulation results the current yard area will not be enough it will need expansion. Fortunately this is not a serious problem to expand this area. Terminal Authority reserved suitable land for future expansion of yard.

CONCLUSIONS

The simulation-based approach to analysis and improvement of logistics processes in the Port of Gdansk has been used. The part of port under consideration was the Gdansk Container Terminal, and the simulations were related to reflect the traffic of containers in the terminal. The simulation software used is a part of information system used by GTK. The Port Process Simulator adopted, after the customization turned out to be a useful tool for assessing and predicting the behavior of the container terminal. After the verification of the simulator using the real data, the tool has been used to simulate the present operation of the existing terminal. These simulation results formed a reference point for further simulation-based considerations. Basing on this reference, several operation scenarios have been prepared and fed to the simulator. Each simulation scenario took into account changes in one of important terminal variables at a time, without changing other parameters. This way the analysis of the simulated scenarios gave the justification to possible changes in organization or new investments plans of the terminal. This made possible to prepare the recommendations to the terminal management on how to improve the operation and logistics of the terminal. This sort of simulation-based approach may also be

used as a design support tool for the new container terminal which is now under preparation in Port of Gdansk (Amborski K. 2004). This terminal with a significantly greater throughput and situated in the Northern Port part of Port of Gdansk will eventually replace the existing one.

ACKNOWLEDGEMENTS

The work has been partially supported by EU projects: BALTPORTS-IT funded under the 5th Framework IST Program and eLOGMAR-m funded under the 6th Framework IST Program of the European Commission.

REFERENCES

Amborski K., Dzieliński A. 2002. "Simulation of a Container Terminal: A General Approach." *Proceedings of 16th European Simulation Multiconference on Modelling and Simulation "ESM 2002"*, Darmstadt (Germany), June 3-5, 2002, pp. 385-388

Dzieliński A.; Amborski K.; Kowalczyk P.; Sukiennik J.; Pawłowski A. 2002. "Simulation of Operation of a Medium-sized Seaport. Case Study: Port of Gdansk." *Proceedings of 14th European Simulation Symposium ESS'02, Dresden (Germany), October 23-26, 2002*

Dzieliński A., Amborski K., Kowalczyk P., Sukiennik J. 2003. "Simulation-Based Approach to the Analysis of Logistics Processes at Gdansk Container Terminal". In: *Proceedings of HMS-2003 "International Workshop on Harbour, Maritime and Multimodal Logistics Modelling and Simulation"*. Riga (Latvia), September 2003

Amborski K., Dzieliński A. 2003. "Some Remarks on Simulation-Based Analysis of Maritime Container Terminal." 15 Polish-German Seminar "Research and Development in Engineering and Studying in United Europe", Koeln (Germany), 17-18 November 2003.

Amborski K. 2004. "Simulation Supported Optimization of Container Storage Place." *Proceedings of International Conference on Advances in Internet Technologies and Applications, CAITA-2004, Purdue University, West Lafayette, Indiana (USA), July 8-11, 2004, pp.13-18.*

Merkuryev Y., Bardachenko V., Solomennikov A. and Kamperman F. 2003. "Simulation of logistics processes at the Baltic Container Terminal: Model validation and application." *Proceedings of the International Workshop on Harbour, Maritime and Multimodal Logistics Modelling and Simulation. HMS-2003. September 18-20, 2003, Riga, Latvia.*

AUTHOR BIOGRAPHIES



KRZYSZTOF AMBORSKI

Born in 1941. Graduated from Warsaw University of Technology (Poland) in 1964 as a M.Sc. in Telecommunications. In 1971 received a M.A. in mathematics from University of Warsaw. He obtained a Ph.D. in Electrical Engineering from Warsaw University of Technology in 1972. In 1998-2004 he was a professor at the University of Applied Sciences in Darmstadt (Germany) and visiting professor at the University of Wisconsin Platteville (USA) teaching simulation and programming. Currently he is back at Warsaw University of Technology teaching control theory, optimization and simulation.



ANDRZEJ DZIELIŃSKI

Born in 1959. Graduated from Warsaw University of Technology in 1983 as a M.Sc. in Electrical Engineering. Obtained a Ph.D. in Electrical Engineering in 1992 and a D.Sc. in Automatic Control in 2002. Currently he is an associate professor at Warsaw University of Technology. His main professional interests are in computational intelligence, modelling and simulation and automatic control.

JERZY SUKIENNIK. Graduated from Academy of Economics in Prague (Czech Republic) as a M.A. in Computer Science. Currently is a Chief IT Officer at Port of Gdansk Authority.